



Substitute for Form 1449/PTO

Information Disclosure Statement by Applicant

Application No.: 10/576,716
Filing Date: 4/21/2006

First Named Inventor:
Harald Kolmar

Art Unit:
Docket No.: 065477-0041

U.S. PATENT DOCUMENTS

Examiner Initials	Document No.	Date MM/DD/YYYY	Name	Classification

FOREIGN PATENT DOCUMENTS

Examiner Initials	Document No.	Date	Country	
	WO 02/34906	02/05/2002		

NON-PATENT LITERATURE DOCUMENTS

Examiner Initials	Author, title of the article, title of the item (book, magazine, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.
	Eggert, et al.; <i>A novel extracellular esterase from Bacillus subtilis and its conversion to a monoacylglycerol hydrolase</i> , 2000, Eur. J. Biochem. 267(21): 6459-6469
	Francisco, et al.; <i>Transport and Anchoring of β-Lactamase to the External Surface of Escherichia coli</i> , 1992, Proc. Natl. Acad. Sci. USA 89(7): 2713-2717
	Francisco, et al.; <i>Production and Fluorescence-Activated Cell Sorting of Escherichia coli Expressing a Functional Antibody Fragment on the External Surface</i> , 1993, Proc. Natl. Acad. Sci. USA 90(22): 10444-10448
	Kim, et al.; <i>Bacterial Cell Surface Display of an Enzyme Library for Selective Screening of Improved Cellulase Variants</i> , 2000, Appl. Environ. Microbiol. 66(2): 788-793
	Kjaergaard, et al.; <i>Novel Zn²⁺-Chelating Peptides Selected from a Fimbria-Displayed Random Peptide Library</i> , 2001, Appl. Environ. Microbiol. 67(12): 5467-5473
	Klauser, et al.; <i>Selective extracellular release of cholera toxin B subunit by Escherichia coli: dissection of Neisseria Iga beta-mediated outer membrane transport</i> , 1992, EMBO J. 11(6): 2327-2335
	Maurer, et al.; <i>Autodisplay: one-component system for efficient surface display and release of soluble recombinant proteins from Escherichia coli</i> , 1997, J. Bacteriol. 179(3): 794-804
	McCormick, et al.; <i>Electron Paramagnetic Resonance Detection of Free Tyrosyl Radical Generated by Myeloperoxidase, Lactoperoxidase, and Horseradish Peroxidase</i> , 1998, J. Biol. Chem. 273(48): 32030-32037
	Miyakubo, et al.; <i>Phage display of xylan-binding module of xylanase J from</i>

	<i>alkaliphilic Bacillus sp. strain 41M-1</i> , 2000, Nucleic Acids Symp. Ser. 44: 165-166
	Palzkill, et al.; <i>Selection of functional signal peptide cleavage sites from a library of random sequences</i> , 1994, J. Bacteriol. 176(3): 563-568
	Venkatachalam, et al.; <i>Characterization of TEM-1 beta-lactamase mutants from positions 238 to 241 with increased catalytic efficiency for ceftazidime</i> , 1994, J. Biol. Chem. 269(38): 23444-23450
	Wentzel, et al.; <i>Sequence Requirements of the GPNG -Turn of the Ecballium elaterium Trypsin Inhibitor II Explored by Combinatorial Library Screening</i> , 1999, J. Biol. Chem. 274(30): 21037-21043
	Wentzel, et al.; <i>Display of Passenger Proteins on the Surface of Escherichia coli K-12 by the Enterohemorrhagic E. coli Intimin EaeA</i> , 2001, J. Bacteriol. 183(24): 7273-7284
	Westerlund-Wikstrom, et al.; <i>Functional expression of adhesive peptides as fusions to Escherichia coli flagellin</i> , 1997, Protein Eng. 10(11): 1319-1326
	Wilhelm, et al.; <i>A novel lipolytic enzyme located in the outer membrane of pseudomonas aeruginosa</i> , 1999, J. Bacteriol. 181(22): 6977-6986

BH01\838240.1
ID\DSN